




WHISPERFLOXF[®]

HIGH PERFORMANCE PUMP

High capacity, low maintenance and maximum performance.





Connect directly to 2.5" or 3" plumbing.

D Drop-in replacement for all WhisperFlo® Pump models. Simple replacement for Challenger® High Pressure and High Flow Pumps.*

Makes basket inspection fast and easy.

C User friendly lid removes easily and locks in place quickly with a quarter-turn.

E Requires only hand tightening for a perfect fit. www.whisperflo.com

Performance Curve	Model	Description
A	XFE-20	5 HP, Single Speed Full Rated
A	XFET-20	5 HP, TEFC Super-Duty Single Speed
G	XFK-20	5 HP, 3-Phase, Super-Duty Motor
B	XFE-12	3 HP, Single Speed Full Rated
B, E	XFDS-12	3 HP, 2-Speed Full Rated
B	XFET-12	3 HP, TEFC Super-Duty Single Speed
H	XFK-12	3 HP, 3-Phase, Super-Duty Motor
C	XF-12	3 HP, Single Speed Full Rated
D	XFE-8	2 HP, Single Speed Full Rated
D	XFET-8	2 HP, TEFC Super-Duty Single Speed
D	XF-8	2 HP, Single Speed Full Rated
D, F	XFDS-8	2 HP, 2-Speed Full Rated
D		