

AURORA® MODEL 326A PUMP


INLINE CENTRIFUGAL PUMP

Sec 326A Pa e 201

Da e July 2015

S e ede Sec 326A Pa e 201

Da ed J 2013



NOTES:

1. Dimensions and weights are approximate.
2. All weights are in pounds or kilograms (kg).
3. All dimensions are in inches or metric (mm) and may vary ± .25" (6).
4. Conduit box is shown in approximate position. Dimensions are not specified (as they vary with each motor manufacturer).
5. Add pump and motor weight for unit weight.
6. Not for construction purposes unless specified.
 - * 1phase, (145TCZ), 3 phase (56CZ).
 - 1phase, (1 HP)
 - * 1phase, (1-1/2 HP)
 - 1phase, (1/2 HP)

Maximum Operating Pressure 175 psi

1750 (60 hz)/1440 (50 hz) RPM

Maximum Operating Temperature 225° (107°C)

MODEL	SUPER GA MOTOR HP	X	YY	VD	DF	DC	DE	F	PUMP WEIGHT	TEFC MOTOR FRAME	TEFC MOTOR WEIGHT	DIMENSIONS MAY VARY BY MANUFACTURER AND HP		
												AG	P	AB
71V	1/2	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	3/4	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	1	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	1 1/2	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	2	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	3	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	4	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	5	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	7 1/2	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	10	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	15	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	20	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	25	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	30	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	40	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	50	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	75	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	
71V	100	4 1/2	4 1/2	6 1/2	4 1/2	6 1/2	6 1/2	4 1/2	4 1/2	4 1/2	1 1/2	4 1/2	4 1/2	