

SHALLOW WELL AND CONVERTIBLE PUMP HR SERIES

APPLICATIONS

Supply water systems and sprinkling systems for homes, farms, and industry.

FEATURES

Quality Construction: Durable machined heavy-duty construction pump body provides long product life.

Impellers: Precision molded impellers and diffuser provide smooth, balanced performance and efficiency.

Pressure Switch: High quality proven pressure switch with adjustable on/off pressure settings. 20 PSI differential.

Motor: Heavy-duty motor with double ball bearing design and voltage selection device.

Shaft Seal: Mechanical shaft seal with ceramic face and stainless steel construction for long seal life.

SPECIFICATIONS

Cast iron pump case.

Dual compartment, 115/230 Volt double-ball bearing motor with voltage selector switch.

Priming screen.

Diffuser with stainless steel wear ring.

Square D pressure switch.

Myers HR Series jet pumps provide reliable service

MYERS HR SERIES SHALLOW WELL AND CONVERTIBLE

OUTLINE DIMENSIONS

PUMP PERFORMANCE

MYERS HR SERIES SHALLOW WELL AND CONVERTIBLE



293 Wright Street
Delavan, WI 53115
Ph: 866.973.6835
Fx: 800.426.9446

490 Pinebush Rd., Unit 4
Cambridge, Ontario
Canada N1T 0A5
Ph: 800.363.7867
Fx: 888.606.5484

pentair.com

All indicated Pentair trademarks and logos are property of Pentair. Third party registered and unregistered trademarks and logos are the property of their respective owners. Because we are