



RENTAL
PENTEK
INTELLIDRIVE






CONSTANT PRESSURE FOR WELL PUMP SYSTEMS

For use with both Submersible and Above Ground Well Pumps to Control Changes in Water Demand

Most homeowners with well systems know what happens when demand for water changes. If they're taking a shower, water pressure drops when someone starts the dishwasher or turns on a faucet. Weak showers, unclean dishes and other water pressure problems become frustrating daily experiences.

A "Variable Frequency Drive" for Submersible or Above

How PENTEK INTELLIDRIVE™ works




1 PENTEK INTELLIDRIVE is connected to an Electronic Pressure Transducer, and to the submersible pump.



PENTEK INTELLIDRIVE

gives you the product range you need with just three models...


PUMP MOTOR	INPUT	OUTPUT	PENTEK INTELLIDRIVE Product Range
2-WIRE	1-PHASE	1-PHASE	UP TO 1.5 HP
3-WIRE	1-PHASE	1-PHASE	UP TO 2 HP
3-WIRE	1-PHASE	3-PHASE	UP TO 5 HP




BACKLIT LCD DISPLAY

PUMP-OUT BUTTON

For cleaning of new wells and



ADJUSTABLE



DIAGNOSTICS

LCD display provides easy-to-understand information for easy diagnostics and troubleshooting.

COMPETITION:

Flashing LED sequence provides unclear interference filtering capabilities. diagnostic information.

EMI/RFI FILTERS

Best in the industry, to eliminate potential interference.

COMPETITION:

Most competitors offer limited

TERMINAL BLOCKS

Removable/Replaceable terminal blocks for easy wiring of motor and power supply.

COMPETITION:

Fixed blocks require replacement of drive for stripped terminals.

CONNECTIONS


Conduit holes align with terminal blocks for easy accessibility.

COMPETITION:

Tight and cramped access makes connections more challenging.

SURGE PROTECTION

Increased surge protection covers both line and load side





293 Wright Street
Delavan, WI 53115
USA
Ph: 866.9.Pentek
Orders Fax: 800.426.9446

490 Pinebush Road
Unit 4
Cambridge, Ontario N1T 0A5
Canada
Ph: 800.363.7867
Orders Fax: 888.606.5484

www.Pumps.com

! | s%AY; o; %d; si EapEal aYAr; C xU oE ± f aU xU casaY %c Y; U b; Y; Z; EapU U Y; U; Y a; U; E a d; s' %E; Y x; s; s; EY o; E; f a a x U; U E; f; Z; EapU Y; %E; U a; x; U a E; U; C x A; U; U
Z; q; ; ; Z; EapU x; A; ; E; a; Y; ; Y; U; c