

## APPLICATIONS

Water systems, sprinkling and pressure boosting...for homes, farms and cottages.

## SPECIFICATIONS

**Max. Liquid Temperature:**  
120°F (49°C)

**Max. Inlet Pressure:** 50 PSI

**Pump Discharge PSI:** Not to exceed 100 PSI

## FEATURES


### ProJet™ Jet Pumps

**Body:** Close-grained cast iron

**Nozzle:** High-strength polycarbonate

Pro-Source™ Water System Packages are handy and economical pump/tank packages for the professional contractor. The Pro-Source Water System Packages utilize the ProJet™ cast iron jet pumps and the dependable

Pro-Source quality pressurized steel tanks. Plumbing connections are made using galvanized fittings and 3-ply nylon reinforced vinyl tubing with stainless steel hose clamps. Ideal for installations where there is limited space.



US: 293 WRIGHT STREET, DELAVAN, WI 53115 WWW.BERKELEYPUMPS.COM PH: 888 782 7483 ORDERS FAX: 800 426 9446  
CANADA: 490 PINEBUSH ROAD, UNIT 4, CAMBRIDGE, ONTARIO N1T 0A5 PH: 800-363-7867 ORDERS FAX: 888-606-5484  
Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice.