

APPLICATIONS

Water systems, sprimofaimits. Plumb(limit)boo()Tj40

Pump Discharge PSI:

FEATURES


ProJet[™] Jet Pumps

vy f_→vi_W × _W • • • i

Pro-Source™ Water System Packages are handy and economical pump/tank packages for the professional contractor. The Pro-Source Water System Packages utilize the ProJet™ cast iron jet pumps and the dependable


Pro-Source quality pressurized steel tanks. Plumbing connections are made using galvanized fittings and 3-ply nylon reinforced vinyl tubing with stainless steel hose clamps. Ideal for installations where there is limited space.

9 9



PUMP PERFORMANCE At Stand in Land Company of the Co												
CATALOG	НР	USE VENTURI/ NOZZLE	EJECTOR PKG.*	SHALLOW WELL JET COMBINATIONS								
NUMBER				TOTAL SUCTION LIFT	DISCHARGE PRESSURE (PSI)					SHUT-0FF		
					30		40	50		60	PSI	
L L	1/2	32 -66B 34 -41	29	5-	9.0		7.9	4.1			61	
				15-	7.2		6.3	3.3			56	
				25-	4.7		4.1	2.1			52	
L	3/4	32 -66B 34 -41	29	5 -	9.9		9.8	7.3		3.5	70	
				15-	7.9		7.8	5.8		2.8	64	
				25-	5.1		5.0	3.8		1.7	59	
CATALOG	НР	USE VENTURI/ NOZZLE	EJECTOR PKG.*	DEEP WELL JET COMBINATIONS								
NUMBER				DISCHARGE PRESSURE PSI	DISCHARGE PRESSURE (PSI)					SHUT-OFF		
					30	40	50	60	70	80	MIN. DEPTH	
Ĺ	1/2	32 -24	4	30	7.3	5.8	4.5	3.3	2.3		68	
		34 -41		40	4.5	3.4	2.3					
	3/4	32 -24	4	30	8.9	7.3	6.4	5.0	4.0	2.5	75	
		34 -41		40	6.5	5.1	4.0	3.0	1.8	0.8		





° y, i , ii 9f •t •

• • , ,