

READ AND FOLLOW SAFETY INSTRUCTIONS!



This is the safety alert symbol.

When you see this symbol on the product or on the packaging, you should read the safety instructions that go with the product. It is important that you read and understand the safety instructions before you use the product. If you do not read and understand the safety instructions, you may be injured or the product may be damaged.



DANGER When you see this symbol on the product or on the packaging, you should read the safety instructions that go with the product. It is important that you read and understand the safety instructions before you use the product. If you do not read and understand the safety instructions, you may be injured or the product may be damaged.

SERIES C/CC CENTRIFUGAL PUMPS

These pumps are designed for use in a wide range of applications. They are suitable for use in the following applications:

INSTALLATION

Location of Unit

The pump should be installed in a well-ventilated area. It should be protected from direct sunlight and rain.

The pump should be installed in a location where it can be easily accessed for maintenance and repair.

The pump should be installed in a location where it can be easily accessed for inspection.

The pump should be installed in a location where it can be easily accessed for cleaning.

The pump should be installed in a location where it can be easily accessed for lubrication.

Piping

The pump should be installed in a location where it can be easily accessed for inspection.

The pump should be installed in a location where it can be easily accessed for cleaning.

The pump should be installed in a location where it can be easily accessed for lubrication.

NOTICE: The pump should be installed in a location where it can be easily accessed for inspection.

NOTICE: The pump should be installed in a location where it can be easily accessed for cleaning.

NOTICE: BE SURE The pump should be installed in a location where it can be easily accessed for lubrication.

The pump should be installed in a location where it can be easily accessed for inspection.

Grounding the Motor



Wiring

NOTICE:

... () ... **identical** ...

NOTICE:

...

- Turn pump OFF and disconnect from power source.
- For three-phase motors, reverse any two leads to motor starter.
- For single phase motors, re-connect according to wiring diagram on

Priming the Pump

NOTICE: NEVER run pump dry.

...

Tighten priming plug securely after priming!

IMPORTANT:

...



INSTALLING NEW SEAL

NOTICE: Handle with care

BE SURE

()

carefully ()

NOTICE:

NOTICE:

()

NOTICE: Be careful not to nick carbon seal face when passing it over end of shaft sleeve.





